


**Standard Perforators/Core Pin Blanks
& Precision Punch Blanks**



Regal Components

QA TYPE

M-2 HIGH SPEED STEEL PERFORATORS / CORE PIN BLANKS


PRECISION FORM GROUND

Rc 60-63

.001" INCREMENTS

INCLUDING THE POPULAR FRACTIONS - 1/32", 3/64", 1/16", 5/64",
3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", AND 3/8"

HOW TO ORDER					
Specify:	Qty.	Type	Dia.	X	Length
Example	50	QA	.040	X	2-1/2



For lengths up to 3", 4", 6", 8" and 10" Price per quotation

D Diameter .001" increments	NET PRICE EACH PER QUANTITY									
	L - Length									
	2"					2-1/2"				
	50 - 99	25 - 49	10 - 24	5 - 9	1 - 4	50 - 99	25 - 49	10 - 24	5 - 9	1 - 4
.010 - .014	\$ 3.55	\$ 3.73	\$ 3.89	\$ 4.85	\$ 5.82	-	-	-	-	-
.015 - .019	\$ 2.97	\$ 3.11	\$ 3.23	\$ 4.04	\$ 4.85	-	-	-	-	-
.020 - .029	\$ 2.37	\$ 2.49	\$ 2.59	\$ 3.26	\$ 3.90	-	-	-	-	-
.030 - .055	-	-	-	-	-	\$ 1.89	\$ 1.97	\$ 2.08	\$ 2.59	\$ 3.12
.056 - .087	-	-	-	-	-	\$ 2.04	\$ 2.12	\$ 2.22	\$ 2.76	\$ 3.32
.088 - .131	-	-	-	-	-	\$ 2.27	\$ 2.36	\$ 2.48	\$ 3.10	\$ 3.71
.132 - .179	-	-	-	-	-	\$ 2.37	\$ 2.49	\$ 2.59	\$ 3.26	\$ 3.90
.180 - .225	-	-	-	-	-	\$ 2.74	\$ 2.87	\$ 2.98	\$ 3.73	\$ 4.47
.226 - .250	-	-	-	-	-	\$ 3.10	\$ 3.23	\$ 3.37	\$ 4.22	\$ 5.06
.251 - .336	-	-	-	-	-	\$ 3.47	\$ 3.61	\$ 3.77	\$ 4.71	\$ 5.65
.337 - .375	-	-	-	-	-	\$ 3.76	\$ 3.92	\$ 4.08	\$ 5.10	\$ 6.13
DIAMETERS IN .0001" INCREMENTS MADE TO ORDER	\$25.00 ADD THE FOLLOWING SET UP CHARGE TO BASE PRICE									
QUANTITY DISCOUNTS										
Based on one size, one shipment and one destination										
100 pcs. 50 pc. Price less 7% Over 100 pcs. Call for Pricing										

Regal Components, Inc.

4733 122nd Ave. North, Clearwater, FL 33762 USA
Ph: 727-229-0800 Toll-Free 800-760-5715 Fax: 727-499-7109
E-Mail: sales@regalcomps.com Web Site: www.regalcomps.com


QB TYPE

M-2 HIGH SPEED STEEL PERFORATORS / CORE PIN BLANKS


PRECISION FORM GROUND

Rc 60-63

.001" INCREMENTS

INCLUDING THE POPULAR FRACTIONS - 1/32", 3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", AND 3/8"

HOW TO ORDER				
Specify:	Qty.	Type	Dia.	X Length
Examples	25	QB	.125	X 2-1/2
	50	QB	.016	X 2



D DIAMETER .001" INCREMENTS	H Head Dia.	T Head Thick.	NET PRICE EACH PER QUANTITY									
			L - LENGTH									
			2"					2-1/2"				
			50 - 99	25 - 49	12 - 24	5 - 11	1 - 4	50 - 99	25 - 49	12 - 24	5 - 11	1 - 4
.010 - .014	1/32	1/16	\$ 3.63	\$ 3.78	\$ 3.96	\$ 4.95	\$ 2.90	-	-	-	-	-
.015 - .019	1/32	1/16	\$ 3.03	\$ 3.16	\$ 3.30	\$ 4.13	\$ 2.42	-	-	-	-	-
.020 - .029	3/64	1/16	\$ 2.43	\$ 2.53	\$ 2.65	\$ 3.31	\$ 1.94	-	-	-	-	-
.030 - .036	1/16	1/16	-	-	-	-	-	\$ 1.94	\$ 2.02	\$ 2.11	\$ 2.65	\$ 3.14
.037 - .046	5/64	1/16	-	-	-	-	-					
.047 - .055	3/32	3/32	-	-	-	-	-					
.056 - .064	7/64	3/32	-	-	-	-	-	\$ 2.08	\$ 2.18	\$ 2.26	\$ 2.83	\$ 3.39
.065 - .078	1/8	3/32	-	-	-	-	-					
.079 - .087	9/64	3/32	-	-	-	-	-					
.088 - .099	5/32	3/32	-	-	-	-	-	\$ 2.29	\$ 2.42	\$ 2.52	\$ 3.14	\$ 3.77
.100 - .120	11/64	3/32	-	-	-	-	-					
.121 - .131	3/16	1/8	-	-	-	-	-					
.132 - .147	13/64	1/8	-	-	-	-	-	\$ 2.43	\$ 2.53	\$ 2.65	\$ 3.31	\$ 3.97
.148 - .163	7/32	1/8	-	-	-	-	-					
.164 - .179	15/64	1/8	-	-	-	-	-					
.180 - .194	1/4	1/8	-	-	-	-	-	\$ 2.80	\$ 2.92	\$ 3.04	\$ 3.81	\$ 4.56
.195 - .210	17/64	1/8	-	-	-	-	-					
.211 - .225	9/32	1/8	-	-	-	-	-					
.226 - .241	19/64	1/8	-	-	-	-	-	\$ 3.22	\$ 3.36	\$ 3.51	\$ 4.38	\$ 5.25
.242 - .256	5/16	3/16	-	-	-	-	-					
.257 - .272	21/64	3/16	-	-	-	-	-					
.273 - .288	11/32	3/16	-	-	-	-	-	\$ 3.61	\$ 3.76	\$ 3.92	\$ 4.90	\$ 5.87
.289 - .304	23/64	3/16	-	-	-	-	-					
.305 - .320	3/8	3/16	-	-	-	-	-					
.321 - .336	25/64	3/16	-	-	-	-	-	\$ 3.91	\$ 4.08	\$ 4.25	\$ 5.31	\$ 6.37
.337 - .352	13/32	3/16	-	-	-	-	-					
.353 - .368	27/64	3/16	-	-	-	-	-					
.369 - .380	7/16	3/16	-	-	-	-	-	\$ 4.56	\$ 4.76	\$ 4.97	\$ 6.22	\$ 7.45
.381 - .396	29/64	3/16	-	-	-	-	-					
.397 - .411	15/32	3/16	-	-	-	-	-					
.412 - .427	31/64	3/16	-	-	-	-	-	\$ 5.17	\$ 5.39	\$ 5.64	\$ 7.04	\$ 8.45
.428 - .443	1/2	3/16	-	-	-	-	-					
.444 - .458	33/64	3/16	-	-	-	-	-					
.459 - .474	17/32	3/16	-	-	-	-	-	\$ 5.79	\$ 6.05	\$ 6.31	\$ 7.90	\$ 9.48
.475 - .489	35/64	3/16	-	-	-	-	-					
.490 - .505	9/16	3/16	-	-	-	-	-					
DIAMETERS IN .0001" INCREMENTS MADE TO ORDER			\$30.00 ADD THE FOLLOWING SET UP CHARGE TO BASE PRICE									
OPTIONAL T= 3/16" MADE TO ORDER			\$20.00 ADD THE FOLLOWING SET UP CHARGE TO BASE PRICE									
QUANTITY DISCOUNTS												
Based on one size, one shipment, and one destination												
100 Pieces 50 pc. Price Less 5% Over 300 Pieces Call for pricing												

Regal Components, Inc.

4733 122nd Ave. North, Clearwater, FL 33762 USA

Ph: 727-229-0800 Toll-Free: 800-760-5715 Fax: 727-499-7109

E-Mail: sales@regalcomps.com Web Site: www.regalcomps.com


SQ

PERFORATORS / CORE PIN BLANKS

Material: Tool Steel (TS), Rc 58-60

HIGH SPEED STEEL (HSS), Rc 60-63

2-1/2" Lengths



HOW TO ORDER				
Specify:	Qty.	Type	Dia.	X Length
Examples	25	SQF	.125	x 2-1/2
	50	SQD	.157	x 2-1/2
				TS

SQF

TYPE: FRACTIONAL DIAMETERS

D BODY DIA. FRACTIONAL	H HEAD DIA.	T HEAD THICK.	NET PRICE EACH PER QUANTITY									
			TOOL STEEL					HIGH SPEED STEEL				
			100	50 - 99	25 - 49	10 - 24	1 - 9	100	50 - 99	25 - 49	10 - 24	1 - 9
.0625"	* 3/32	1/8										
.0937"	5/32	1/8	\$ 1.75	\$ 1.95	\$ 2.07	\$ 2.41	\$ 3.07	\$ 2.27	\$ 2.50	\$ 2.65	\$ 3.04	\$ 3.78
.1250"	3/16	1/8										
.1562"	7/32	1/8	\$ 1.88	\$ 2.07	\$ 2.22	\$ 2.55	\$ 3.22	\$ 2.43	\$ 2.65	\$ 2.81	\$ 3.20	\$ 3.94
.1875"	1/4	1/8										
.2187"	9/32	1/8	\$ 2.07	\$ 2.28	\$ 2.41	\$ 2.74	\$ 3.41	\$ 2.65	\$ 2.88	\$ 3.04	\$ 3.40	\$ 4.16
.2500"	5/16	1/8										
.3125"	7/16	3/16	\$ 2.55	\$ 2.74	\$ 2.87	\$ 3.22	\$ 3.89	\$ 3.55	\$ 3.75	\$ 3.94	\$ 4.32	\$ 5.08
.3750"	1/2	3/16	\$ 2.68	\$ 2.87	\$ 3.02	\$ 3.35	\$ 4.02	\$ 3.78	\$ 4.02	\$ 4.16	\$ 4.54	\$ 5.31

* Optional Head Diameter of 1/8 can be made to order. Price upon quotation.

SQD

TYPE: DECIMAL DIAMETERS IN .001" INCREMENTS

D BODY DIA. DECIMAL	H HEAD DIA.	T HEAD THICK.	NET PRICE EACH PER QUANTITY									
			TOOL STEEL					HIGH SPEED STEEL				
			100	50 - 99	25 - 49	10 - 24	1 - 9	100	50 - 99	25 - 49	10 - 24	1 - 9
.030" - .062"	* 3/32	1/8										
.063" - .093"	5/32	1/8	\$ 2.07	\$ 2.35	\$ 2.55	\$ 3.07	\$ 3.74	\$ 2.72	\$ 3.04	\$ 3.26	\$ 3.86	\$ 4.61
.094" - .124"	3/16	1/8										
.126" - .156"	7/32	1/8	\$ 2.22	\$ 2.48	\$ 2.68	\$ 3.22	\$ 3.89	\$ 2.88	\$ 3.20	\$ 3.40	\$ 4.02	\$ 4.77
.157" - .187"	1/4	1/8										
.188" - .218"	9/32	1/8	\$ 2.55	\$ 2.82	\$ 3.02	\$ 3.54	\$ 4.21	\$ 3.26	\$ 3.55	\$ 3.78	\$ 4.38	\$ 5.15
.219" - .249"	5/16	1/8										
.251" - .312"	7/16	3/16	\$ 2.95	\$ 3.22	\$ 3.41	\$ 3.95	\$ 4.62	\$ 3.86	\$ 4.16	\$ 4.38	\$ 5.00	\$ 5.75
.313" - .374"	1/2	3/16	\$ 3.07	\$ 3.35	\$ 3.54	\$ 4.09	\$ 4.76	\$ 4.09	\$ 4.38	\$ 4.61	\$ 5.23	\$ 6.00

* Optional Head Diameter of 1/8 can be made to order. Price upon quotation.

QUANTITY DISCOUNTS
Based on one size, one shipment, and one destination
Over 300 Pieces Call for pricing

Regal Components, Inc.

4733 122nd Ave. North, Clearwater, FL 33762 USA
 Ph: 727-229-0800 Toll-Free: 800-760-5715 Fax: 727-499-7109
 E-Mail: sales@regalcomps.com Web Site: www.regalcomps.com

B and AB TYPE

PERFORATORS / CORE PIN BLANKS

PRECISION FORM GROUND

Steel: M-2, Rc 60-63


.001" INCREMENTS

INCLUDING THE POPULAR FRACTIONS - 1/32", 3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", AND 3/8"

HOW TO ORDER					
Specify:	Qty.	Type	Dia.	X	Length
Examples	25	AB-18	.295	X	3
	50	B-1	.031	X	2-1/2

Ideal for tight center to center spacing in dies and molds.

Type B is standard and Type AB is non-standard. Can be made to order for prompt delivery in the same lengths and diameter ranges as Type B. Same pricing applies.



AB Type	B Type	D DIAMETER .001" INCREMENTS	H Head Dia.	T Head Thick.	L OVERALL LENGTHS			NET PRICE EACH PER QUANTITY					
					2"	2-1/2"	3"	100	50 - 99	25 - 49	10 - 24	5 - 9	1 - 4
1/0	1/0	.025 - .029	.060	3/32	2"	-	-	\$ 3.63	\$ 3.89	\$ 4.12	\$ 4.54	\$ 5.17	\$ 6.01
1	1	.030 - .040	.070		2"	2-1/2"	-	\$ 3.28	\$ 3.51	\$ 3.73	\$ 4.10	\$ 4.68	\$ 5.65
2	2	.041 - .055	.085		2"	2-1/2"	-	\$ 3.14	\$ 3.32	\$ 3.57	\$ 3.93	\$ 4.47	\$ 5.31
3	3	.056 - .070	.100		2"	2-1/2"	-	\$ 2.94	\$ 3.11	\$ 3.29	\$ 3.63	\$ 4.12	\$ 4.95
4	4	.071 - .085	.115		2"	2-1/2"	-						
5	5	.086 - .100	.130		2"	2-1/2"	-						
6	6	.101 - .115	.145		-	2-1/2"	-	\$ 3.14	\$ 3.35	\$ 3.57	\$ 3.93	\$ 4.47	\$ 5.31
7	7	.116 - .130	.160		-	2-1/2"	-						
8	8	.131 - .145	.175		-	2-1/2"	-						
9	9	.146 - .160	.190		-	2-1/2"	-	\$ 3.35	\$ 3.55	\$ 3.78	\$ 4.18	\$ 4.75	\$ 5.58
10	10	.161 - .175	.205	1/8	-	2-1/2"	-						
11	11	.176 - .190	.220		-	2-1/2"	-	\$ 3.43	\$ 3.66	\$ 3.89	\$ 4.29	\$ 4.89	\$ 5.73
12	12	.191 - .205	.235		-	2-1/2"	-						
13	13	.206 - .220	.250		-	2-1/2"	-	\$ 3.63	\$ 3.83	\$ 4.10	\$ 4.53	\$ 5.17	\$ 6.01
14	14	.221 - .235	.265		-	2-1/2"	-						
15	15	.236 - .250	.280		-	2-1/2"	-	\$ 3.91	\$ 4.26	\$ 4.61	\$ 4.96	\$ 5.51	\$ 6.35
16	16	.251 - .265	.295		-	-	3"						
17	17	.266 - .280	.310		-	-	3"						
18	18	.281 - .295	.325		-	-	3"	\$ 4.12	\$ 4.47	\$ 4.84	\$ 5.22	\$ 5.79	\$ 6.63
19	19	.296 - .310	.340		-	-	3"						
20	20	.311 - .325	.355	3/16	-	-	3"	\$ 4.39	\$ 4.73	\$ 5.07	\$ 5.53	\$ 6.21	\$ 7.05
21	21	.326 - .340	.370		-	-	3"						
22	22	.341 - .355	.385		-	-	3"	\$ 4.61	\$ 4.94	\$ 5.30	\$ 5.77	\$ 6.49	\$ 7.19
23	23	.356 - .370	.400		-	-	3"						
24	24	.371 - .385	.415		-	-	3"	\$ 5.02	\$ 5.23	\$ 5.75	\$ 6.26	\$ 7.05	\$ 7.89

QUANTITY DISCOUNTS

Based on one size, one shipment, and one destination

Over 300 Pieces Call for pricing

Regal Components, Inc.

4733 122nd Ave. North, Clearwater, FL 33762 USA

Ph: 727-229-0800 Toll-Free: 800-760-5715 Fax: 727-499-7109

E-Mail: sales@regalcomps.com Web Site: www.regalcomps.com



PPB Precision Punch Blanks

2", 2-1/2", 3" and 3-1/2" Lengths


M-2 HIGH SPEED STEEL (HSS)

Rc 60-63, Heads drawn to Rc 40-55

Precision Form-Ground

Fractional Blanks from 1/8" through 1"

HOW TO ORDER				
Specify:	Qty.	Cat. Number	Dia. X Length	
Examples	25	PPB-25	1/4 x	2-1/2
	12	PPB-100	1 x	3-1/2



CATALOG NUMBER	D BODY DIA. FRACTIONAL	H HEAD DIA.	T HEAD THICK.	L				NET PRICE EACH PER QUANTITY			
				OVERALL LENGTHS				50 +	25 - 49	10 - 24	1 - 9
PPB-12	1/8	1/4	1/8 (3/16)	2	2-1/2			6.67	\$ 7.01	\$ 7.44	\$ 7.78
PPB-18	3/16	5/16	1/8 (3/16)	2	2-1/2						
PPB-25	1/4	3/8	3/16 (1/8)	2	2-1/2	3		7.44	\$ 7.78	\$ 8.28	\$ 8.70
PPB-31	5/16	7/16	3/16 (1/8)	2	2-1/2	3					
PPB-37	3/8	1/2	3/16 (1/8)	2	2-1/2	3		8.62	\$ 9.03	\$ 10.03	\$ 10.08
PPB-43	7/16	9/16	3/16	2	2-1/2	3	3-1/2				
PPB-50	1/2	5/8	3/16	2	2-1/2	3	3-1/2	8.62	\$ 9.03	\$ 10.03	\$ 10.08
PPB-62	5/8	3/4	3/16 (1/4)	2	2-1/2	3	3-1/2	11.64	\$ 12.30	\$ 10.03	\$ 13.70
PPB-75	3/4	7/8	3/16 (1/4)		2-1/2	3	3-1/2	16.18	\$ 17.14	\$ 12.95	\$ 19.04
PPB-100	1"	1-1/8	3/16 (1/4)		2-1/2	3	3-1/2	27.10	\$ 28.71	\$ 18.16	\$ 31.85

MPB Metric Punch Blanks

50, 56, 63, 71, 80, 90 and 100 mm Lengths

Precision Form-Ground


M-2 HIGH SPEED STEEL (HSS)

Rc 60-63, Heads drawn to Rc 40-55

Made to order

10 pieces minimum

HOW TO ORDER				
Specify:	Qty.	Cat. Number	X Length	
Examples	50	MPB-6	X	63 mm



CATALOG NUMBER	D		H	NET PRICE EACH PER QUANTITY									
	BODY DIA.			L - LENGTH									
	NOMICAL DIA.	m ⁵ TOLERANCE		HEAD DIA.	50, 56, & 63 mm			71 & 80 mm			90 & 100 mm		
					50 +	25 -49	10 - 24	50 +	25 -49	10 - 24	50 +	25 -49	10 - 24
MPB-3	3	+ 0.009 + 0.004	5.0	\$ 5.62	\$ 6.24	\$ 6.94	\$ 6.26	\$ 6.96	\$ 7.73	\$ 7.83	\$ 8.70	\$ 9.65	
MPB-4	4	+ 0.009 + 0.004	7.0	\$ 5.74	\$ 6.39	\$ 7.09	\$ 6.55	\$ 7.27	\$ 8.07	\$ 8.35	\$ 9.29	\$ 10.32	
MPB-5	5	+ 0.009 + 0.004	8.0	\$ 6.67	\$ 7.41	\$ 8.23	\$ 7.19	\$ 7.98	\$ 8.87	\$ 8.23	\$ 9.14	\$ 10.16	
MPB-6	6	+ 0.009 + 0.004	9.0	\$ 7.70	\$ 8.56	\$ 9.52	\$ 8.14	\$ 8.93	\$ 9.98	\$ 8.47	\$ 9.41	\$ 10.46	
MPB-8	8	+ 0.012 + 0.006	11.0	\$ 8.16	\$ 9.08	\$ 10.08	\$ 8.46	\$ 9.48	\$ 10.71	\$ 8.87	\$ 9.85	\$ 10.96	

Regal Components, Inc.

4733 122nd Ave. North, Clearwater, FL 33762 USA
Ph: 727-229-0800 Toll-Free: 800-760-5715 Fax: 727-499-7109
E-Mail: sales@regalcomps.com Web Site: www.regalcomps.com

Custom Punches & Perforators

Det. QA Det. QA-PN Det. QA-S Det. QA-SPN	Det. QAB Det. QAB-PN Det. QAB-S Det. QAB-SPN																																																							
Det. QB Det. B-PN Det. B-S Det. B-SPN	Det. C PER YOUR SKETCH																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; padding: 2px;">Qty.</td> <td style="padding: 2px;">Detail</td> </tr> </table>	Qty.	Detail	PER YOUR SKETCH																																																					
Qty.	Detail																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;">Material:</td> <td style="padding: 2px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="padding: 2px;">Dimensions</th> <th colspan="2" style="padding: 2px;">Tolerances</th> </tr> <tr> <td style="width: 10%; padding: 2px;">D</td> <td style="width: 40%;"></td> <td style="width: 10%; text-align: center; padding: 2px;">+</td> <td style="width: 40%; text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">H</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">T</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">L</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">P</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">B</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">R</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> </table> </td> </tr> <tr> <td style="padding: 5px;">Hardness:</td> <td></td> </tr> <tr> <td style="padding: 5px;">Modify Cat. No./Part No.</td> <td style="padding: 5px;">Mfr.</td> </tr> <tr> <td colspan="2" style="padding: 5px;">Notes & Comments</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Contact Name:</td> <td style="width: 35%; padding: 2px;">Company Name:</td> <td style="width: 35%; padding: 2px;">Address</td> </tr> <tr> <td style="padding: 2px;">Phone No.</td> <td style="padding: 2px;">Fax No.</td> <td style="padding: 2px;">E-Mail Address:</td> </tr> <tr> <td style="padding: 2px;">Date:</td> <td colspan="2"></td> </tr> </table> </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Ref. R. F. Q No. ☐ P. O. No.</td> <td style="padding: 2px;">Special Instructions/Requirements:</td> </tr> </table> </td> </tr> </table>	Material:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="padding: 2px;">Dimensions</th> <th colspan="2" style="padding: 2px;">Tolerances</th> </tr> <tr> <td style="width: 10%; padding: 2px;">D</td> <td style="width: 40%;"></td> <td style="width: 10%; text-align: center; padding: 2px;">+</td> <td style="width: 40%; text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">H</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">T</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">L</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">P</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">B</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">R</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> </table>		Dimensions		Tolerances		D		+	-	H		+	-	T		+	-	L		+	-	P		+	-	B		+	-	R		+	-	Hardness:		Modify Cat. No./Part No.	Mfr.	Notes & Comments		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Contact Name:</td> <td style="width: 35%; padding: 2px;">Company Name:</td> <td style="width: 35%; padding: 2px;">Address</td> </tr> <tr> <td style="padding: 2px;">Phone No.</td> <td style="padding: 2px;">Fax No.</td> <td style="padding: 2px;">E-Mail Address:</td> </tr> <tr> <td style="padding: 2px;">Date:</td> <td colspan="2"></td> </tr> </table>		Contact Name:	Company Name:	Address	Phone No.	Fax No.	E-Mail Address:	Date:			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Ref. R. F. Q No. ☐ P. O. No.</td> <td style="padding: 2px;">Special Instructions/Requirements:</td> </tr> </table>		Ref. R. F. Q No. ☐ P. O. No.	Special Instructions/Requirements:
Material:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="padding: 2px;">Dimensions</th> <th colspan="2" style="padding: 2px;">Tolerances</th> </tr> <tr> <td style="width: 10%; padding: 2px;">D</td> <td style="width: 40%;"></td> <td style="width: 10%; text-align: center; padding: 2px;">+</td> <td style="width: 40%; text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">H</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">T</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">L</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">P</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">B</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> <tr> <td style="padding: 2px;">R</td> <td></td> <td style="text-align: center; padding: 2px;">+</td> <td style="text-align: center; padding: 2px;">-</td> </tr> </table>	Dimensions		Tolerances		D		+	-	H		+	-	T		+	-	L		+	-	P		+	-	B		+	-	R		+	-																							
Dimensions		Tolerances																																																						
D		+	-																																																					
H		+	-																																																					
T		+	-																																																					
L		+	-																																																					
P		+	-																																																					
B		+	-																																																					
R		+	-																																																					
Hardness:																																																								
Modify Cat. No./Part No.	Mfr.																																																							
Notes & Comments																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Contact Name:</td> <td style="width: 35%; padding: 2px;">Company Name:</td> <td style="width: 35%; padding: 2px;">Address</td> </tr> <tr> <td style="padding: 2px;">Phone No.</td> <td style="padding: 2px;">Fax No.</td> <td style="padding: 2px;">E-Mail Address:</td> </tr> <tr> <td style="padding: 2px;">Date:</td> <td colspan="2"></td> </tr> </table>		Contact Name:	Company Name:	Address	Phone No.	Fax No.	E-Mail Address:	Date:																																																
Contact Name:	Company Name:	Address																																																						
Phone No.	Fax No.	E-Mail Address:																																																						
Date:																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Ref. R. F. Q No. ☐ P. O. No.</td> <td style="padding: 2px;">Special Instructions/Requirements:</td> </tr> </table>		Ref. R. F. Q No. ☐ P. O. No.	Special Instructions/Requirements:																																																					
Ref. R. F. Q No. ☐ P. O. No.	Special Instructions/Requirements:																																																							

Fax to: 727-499-7109 or E-Mail to sales@regalcomps.com

Specials

Higher Standards for Molds and Dies

Custom Core Pins, Ejectors, Sleeves, Blades, and Punches for Molds and Dies can be made from various grades of tool steels, including particle steels, stainless, and copper alloys. Tolerances can be held to .000050" and surface finishes to 2 RMS.

Fax or e-mail your drawings or sketches for a prompt quotation.



Terms and Conditions

Pricing: All prices are in US dollars and are subject to change without notice.

Payment Terms: 1% 10, net 30 days.

F.O.B.: Shipping Point, prepaid and added or collect

Shipping: Shipments will be made via UPS, Federal Express, or other available carrier specified by the customer. We are not responsible for shipping charges, damage, or delays encountered during transportation.

Returns: Prior approval must be obtained. Upon receipt, returned parts will be inspected and a credit will be issued to the customer's account, less a 15% restocking charge. Unless defective, custom and made-to-order components are not returnable.

Warranty: Due to the wide variety of applications and possible uses by our customers, no warranties are expressed or implied. Regal liability for items sold hereunder shall be limited solely to the repair or replacement of the items sold hereunder.

Regal
Components

Regal Components, Inc.

4733 122nd Ave. North, Clearwater, FL 33762 USA

Tel: 727-299-0800 Fax: 727-499-7109 Toll-Free: 800-760-5715

sales@regalcomps.com www.regalcomps.com

